AMENDMENTS TO THE CLAIMS

1. (Currently amended) A selective herbicidal composition comprising, in addition to customary inert formulation assistants, as the active ingredient a mixture of

a) a herbicidally effective amount of a compound of formula I



~~(I)~~



(I)

or salts or diastereoisomers thereof, wherein:

R_1 and R_3 independently of one another are C_1-C_4-alkyl, C_2-C_4-~~alkinyl~~alkynyl, C_1-C_4-halogenalkyl, C_1-C_6-alkoxy, or C_1-C_2-halogenalkoxy, with the proviso that R_1 and R_3 are not simultaneously methyl;

~~R_4 and R_5 together signify a group~~

~~$-C-R_{14}(R_{15})-C-R_{16}(R_{17})-O-C-R_{18}(R_{19})-C-R_{20}(R_{21})-(Z_2)$,~~

~~wherein R_{14}, R_{15}, R_{16}, R_{17}, R_{18}, R_{19}, R_{20}, and R_{21}, independently of one another are hydrogen~~

G is hydrogen, ~~$-C(O)-R_{30}$~~ or $C(O)-O-R_{31}$; ~~$-C(X_1)-R_{30}$, $-C(X_2)-X_3-R_{34}$, $-C(X_4)-N(R_{32})-R_{33}$, $-SO_2-R_{34}$, an alkaline, alkaline earth, sulfonium or ammonium cation or $-P(X_5)(R_{35})-R_{36}$ or $-CH_2-X_6-R_{37}$;~~

~~X_1, X_2, X_3, X_4, X_5 and X_6 independently of one another, are oxygen or sulfur;~~

R_{30}, and R_{31}, ~~R_{32} and R_{33}~~ independently of one another, are hydrogen, C_1-C_{10}-alkyl; and ~~C_1-C_{10}-halogenalkyl, C_1-C_{10}-cyanoalkyl, C_1-C_{10}-nitroalkyl, C_1-C_{10}-aminoalkyl, C_1-C_6-alkylamino-C_1-C_6-alkyl, C_2-C_8-dialkylamino-C_1-C_6-alkyl, C_3-C_7-cycloalkyl-C_1-C_6-alkyl, C_2-C_{10}-alkoxy-alkyl, C_4-C_{10}-alkenyloxy-alkyl, C_4-C_{10}-alkinyloxy-alkyl, C_2-C_{10}-alkylthio-alkyl, C_1-C_6-alkysulfoxyl-C_1-C_6-alkyl, C_1-C_6-alkylsulfonyl-C_1-C_6-alkyl, C_2-C_8-alkylideneamino-oxy-C_1-C_6-alkyl, C_1-C_6-alkylcarbonyl-C_1-C_6-alkyl,~~

~~C_1-C_6-alkoxycarbonyl-C_1-C_6-alkyl, C_1-C_6-amino-carbonyl-C_1-C_6-alkyl, C_2-C_8-dialkylamino-carbonyl-C_1-C_6-alkyl, C_1-C_6-alkylcarbonylamino-C_1-C_6-alkyl, C_2-C_6-alkylcarbonyl-(C_1-C_6-alkyl)-aminoalkyl, C_3-C_8-trialkylsilyl-C_1-C_6-alkyl, phenyl-C_1-C_6-alkyl, heteroaryl-C_1-C_6-alkyl, phenoxy-C_1-C_6-alkyl, heteroaryloxy-C_1-C_6-alkyl, C_2-C_6-alkenyl, C_2-C_6-halogenalkenyl, C_3-C_8-cycloalkyl, phenyl; or phenyl substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; or heteroaryl or heteroarylamino; heteroarylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; diheteroarylamino, diheteroarylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; phenylamino, phenylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; diphenylamino, diphenylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; C_3-C_7-cycloalkylamino, C_3-C_7-cycloalkylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; di-C_3-C_7-cycloalkylamino, di-C_3-C_7-cycloalkylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; C_3-C_7-cycloalkoxy or C_3-C_7-cycloalkoxy substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro;~~

~~R_{34}, R_{35} and R_{36} independently of one another, are hydrogen, C_1-C_{10}-alkyl, C_1-C_{10}-halogenalkyl, C_1-C_{10}-cyanoalkyl, C_1-C_{10}-nitroalkyl, C_1-C_{10}-aminoalkyl, C_1-C_6-alkylamino-C_1-C_6-alkyl, C_2-C_8-dialkylamino-C_1-C_6-alkyl, C_3-C_7-cycloalkyl-C_1-C_6-alkyl, C_2-C_{10}-alkoxy-alkyl, C_4-C_{10}-alkenyloxy-alkyl, C_4-C_{10}-alkinyloxy-alkyl, C_2-C_{10}-alkylthio-alkyl, C_1-C_6-alkysulfoxyl-C_1-C_6-alkyl, C_1-C_6-alkylsulfonyl-C_1-C_6-alkyl, C_2-C_8-alkylideneamino-oxy-C_1-C_6-alkyl, C_1-C_6-alkylcarbonyl-C_1-C_6-alkyl, C_1-C_6-alkoxycarbonyl-C_1-C_6-alkyl, C_1-C_6-amino-carbonyl-C_1-C_6-alkyl, C_2-C_8-dialkylamino-carbonyl-C_1-C_6-alkyl, C_1-C_6-alkylcarbonylamino-C_1-C_6-alkyl, C_2-C_6-alkylcarbonyl-(C_1-C_6-alkyl)-aminoalkyl, C_3-C_8-trialkylsilyl-C_1-C_6-alkyl, phenyl-C_1-C_6-alkyl, heteroaryl-C_1-C_6-alkyl, phenoxy-C_1-C_6-alkyl, heteroaryloxy-C_1-C_6-alkyl, C_2-C_6-alkenyl, C_2-C_6-halogenalkenyl, C_3-C_8-cycloalkyl, phenyl; or phenyl substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; or heteroaryl or heteroarylamino; heteroarylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; diheteroarylamino, diheteroarylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; phenylamino, phenylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; diphenylamino, diphenylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy,~~

halogen, cyano or nitro; C_3-C_7-cycloalkylamino, C_3-C_7-cycloalkylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; di-C_3-C_7-cycloalkylamino, di-C_3-C_7-cycloalkylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; C_3-C_7-cycloalkoxy or C_3-C_7-cycloalkoxy substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; C_3-C_{10}-alkoxy, C_1-C_{10}-halogenalkoxy, C_1-C_6-alkylamino, C_2-C_8-dialkylamino as well as benzyloxy or phenoxy, whereby the benzyl and phenyl groups in turn may be substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano, formyl, acetyl, propionyl, carboxyl, C_1-C_5-alkoxycarbonyl, methylthio, ethylthio, or nitro; and

R_{32} is C_1-C_{10}-alkyl, C_1-C_{10}-halogenalkyl, C_1-C_{10}-cyanoalkyl, C_1-C_{10}-nitroalkyl, C_1-C_{10}-aminoalkyl, C_1-C_5-alkylamino-C_1-C_5-alkyl, C_2-C_8-dialkylamino-C_1-C_5-alkyl, C_3-C_7-cycloalkyl-C_1-C_5-alkyl, C_2-C_{10}-alkoxy-alkyl, C_4-C_{10}-alkenyloxy-alkyl, C_4-C_{10}-alkinyloxy-alkyl, C_2-C_{10}-alkylthio-alkyl, C_1-C_5-alkysulfoxyl-C_1-C_5-alkyl, C_1-C_5-alkylsulfonyl-C_1-C_5-alkyl, C_2-C_8-alkylideneamino-oxy-C_1-C_5-alkyl, C_1-C_5-alkylcarbonyl-C_1-C_5-alkyl, C_1-C_5-alkoxycarbonyl-C_1-C_5-alkyl, C_1-C_5-amino-carbonyl-C_1-C_5-alkyl, C_2-C_8-dialkylamino-carbonyl-C_1-C_5-alkyl, C_1-C_5-alkylcarbonylamino-C_1-C_5-alkyl, C_2-C_5-alkylcarbonyl-(C_1-C_5-alkyl)-aminoalkyl, C_3-C_6-trialkylsilyl-C_1-C_5-alkyl, phenyl-C_1-C_5-alkyl, heteroaryl-C_1-C_5-alkyl, phenoxy-C_1-C_5-alkyl, heteroaryloxy-C_1-C_5-alkyl, C_2-C_6-alkenyl, C_2-C_6-halogenalkenyl, C_3-C_8-cycloalkyl, phenyl, or phenyl substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; or heteroaryl or heteroarylamino; heteroarylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; diheteroarylamino, diheteroarylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; phenylamino, phenylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; diphenylamino, diphenylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; C_3-C_7-cycloalkylamino, C_3-C_7-cycloalkylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; di-C_3-C_7-cycloalkylamino, di-C_3-C_7-cycloalkylamino substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; C_3-C_7-cycloalkoxy or C_3-C_7-cycloalkoxy substituted by C_1-C_3-alkyl, C_1-C_3-halogenalkyl, C_1-C_3-alkoxy, C_1-C_3-halogenalkoxy, halogen, cyano or nitro; or C_1-C_{10}-alkylcarbonyl; as well as salts and diastereoisomers of the compounds of formula I, with the proviso that R_1 and R_3 are not simultaneously methyl; and;

b) a herbicidally synergistic amount of at least one herbicide selected from the classes of phenoxy-phenoxypropionic acids, hydroxylamines, sulfonylureas, imidazolinones, pyrimidines,

~~triazines, ureas, PPO, chloroacetanilides,~~ phenoxyacetic acids, ~~triazinones, dinitroanilines, azinones, carbamates, oxyacetamides,~~ thiolcarbamates, ~~azole-ureas,~~ benzoic acids, anilides, nitriles, ~~trione~~s and sulfonamides~~., as well as from the herbicides amitrol, benfuresate, bentazone, cinmethylin, clomazone, chlopyralid, difenzoquat, dithiopyr, ethofumesate, flurochloridone, indanofane, isoxaben, oxaziclomefone, pyridate, pyridafol, quinchlorac, quinmerac, tridiphane, glufosinate and flamprop.~~

2. (Previously Presented) Composition according to claim 1, which contains, to antagonise the herbicide, an antidotally effective amount of a safener selected from the group consisting of cloquintocet, an alkali, alkaline earth, sulfonium or ammonium cation of cloquintocet, cloquintocet-mexyl, mefenpyr, an alkali, alkaline earth, sulfonium or ammonium cation of mefenpyr and mefenpyrdiethyl.

3. (Original) Composition according to claim 1, which contains an additive comprising an oil of vegetable or animal origin, a mineral oil, the alkylesters thereof or mixtures of these oils and oil derivatives.

4. (Original) A method of selectively controlling weeds and grasses in crops of cultivated plants, which comprises treating said cultivated plants, the seeds or seedlings or the crop area thereof, with a composition according to claim 1.

5. (Original) A method of selectively controlling weeds and grasses in crops of cultivated plants, which comprises treating said cultivated plants, the seeds or seedlings or the crop area thereof, with a composition according to claim 2.

6. (Original) A method of selectively controlling weeds and grasses in crops of cultivated plants, which comprises treating said cultivated plants, the seeds or seedlings or the crop area thereof, with a composition according to claim 3.

7. (Original) A method according to claim 4 wherein the cultivated plant is cereal or maize.

8. (New) A composition according to claim 1 wherein said phenoxypropionic acids are selected from clodinafop-p-propargyl and fenoxaprop-ethyl.

9. (New) A composition according to claim 1 wherein said hydroxylamine is tralkoxydim.

10. (New) A composition according to claim 1 wherein sulfonylureas are selected from triasulfuron, amidosulfuron, tribenuron, idosulfuron, thifensulfuron-methyl, metsulfuron, flupyrsulfuron, and sulfosulfuron.

11. (New) A composition according to claim 1 wherein phenoxyacetic acids are selected from mecoprop, fluroxypyr, MCPA, 2,4-D ester, and 2,4-D amine.

12. (New) A composition according to claim 1 wherein said thiolcarbamates are selected from triallate and prosulfocarb.

13. (New) A composition according to claim 1 wherein said benzoic acid is dicamba.

14. (New) A composition according to claim 1 wherein said anilides are selected from diflufenican.

15. (New) A composition according to claim 1 wherein said nitriles are selected from bromoxynil and ioxynil.

16. (New) A composition according to claim 1 wherein said sulfonamides are selected from flucarbazone, florasulam, propoxycarbazone, and metosulam.